

| 2006 COMMUNICABLE DISEASES | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Totals | Pop.* | Incidence |
|-------------------------------------|------|------|------|------|-----|------|------|------|-------|------|------|------|--------|---------|--------------|
| | | | | | | | | | | | | | | | Rate/100,000 |
| | | | | | | | | | | | | | | | |
| Aquired Immunodeficiency Syndrome | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 9 | 7 | 0 | 19 | 263,975 | 7.20 |
| Amebiasis | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 263,975 | 0.38 |
| Anthrax | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Blastomycosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Botulism, Foodborne | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Botulism, infant, wound and other | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Brucellosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Campylobacteriosis | 2 | 0 | 1 | 1 | 1 | 3 | 3 | 0 | 1 | 3 | 0 | 11 | 26 | 263,975 | 9.85 |
| Chancroid | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Chickenpox | 3 | 5 | 4 | 7 | 5 | 0 | 3 | 1 | 2 | 1 | 4 | 2 | 37 | 263,975 | 14.02 |
| Chlamydia | 77 | 65 | 94 | 72 | 71 | 81 | 69 | 81 | 73 | 86 | 70 | 69 | 908 | 263,975 | 343.97 |
| Cholera | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Cluster Illnesses | 0 | 0 | 0 | 0 | 23 | 0 | 0 | 0 | 0 | 38 | 0 | 185 | 246 | 263,975 | 93.19 |
| Cryptosporidiosis | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 263,975 | 1.14 |
| Cyclosporiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Diarrhea of the newborn | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Diphtheria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Ehrlichiosis, human granulocytic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Ehrlichiosis, human monocytic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Encephalitis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Enteric Escherichia coli infections | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 263,975 | 0.76 |

*Source: US Census Bureau, Population Estimates

| 2006 COMMUNICABLE DISEASES | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Totals | Pop.* | Incidence |
|--|------|------|------|------|-----|------|------|------|-------|------|------|------|--------|---------|--------------|
| | | | | | | | | | | | | | | | Rate/100,000 |
| | | | | | | | | | | | | | | | |
| Foodborne or waterborne illness | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Giardiasis | 1 | 2 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 6 | 13 | 263,975 | 4.92 |
| Gonorrhea | 21 | 26 | 35 | 22 | 32 | 35 | 38 | 42 | 35 | 45 | 21 | 20 | 372 | 263,975 | 140.92 |
| Haemophilus influenzae, meningitis/invasive | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 263,975 | 0.76 |
| Hantavirus pulmonary syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Hemolytic uremic syndrome, post-diarrheal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Hepatitis A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 263,975 | 0.38 |
| Hepatitis B Acute | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 263,975 | 0.76 |
| Hepatitis B Carriers | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 263,975 | 1.14 |
| Hepatitis C | 4 | 6 | 5 | 5 | 13 | 9 | 12 | 11 | 8 | 6 | 5 | 28 | 112 | 263,975 | 42.43 |
| Hepatitis, viral, other | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Histoplasmosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Human immunodeficiency virus (HIV) infection | 1 | 0 | 1 | 2 | 1 | 0 | 1 | 1 | 11 | 22 | 27 | 0 | 67 | 263,975 | 25.38 |
| Legionnaires | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Leprosy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Leptospirosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Listeriosis | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 263,975 | 0.76 |
| Lyme disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Malaria | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 263,975 | 0.76 |
| Measles | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Meningitis, aseptic | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 263,975 | 0.76 |

*Source: US Census Bureau, Population Estimates

| 2006 COMMUNICABLE DISEASES | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Totals | Pop.* | Incidence |
|---|------|------|------|------|-----|------|------|------|-------|------|------|------|--------|---------|--------------|
| | | | | | | | | | | | | | | | Rate/100,000 |
| | | | | | | | | | | | | | | | |
| Mumps | 0 | 0 | 0 | 6 | 3 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 13 | 263,975 | 4.92 |
| Neisseria meningitidis, meningitis/invasive | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 263,975 | 0.38 |
| Ophthalmia neonatorum | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Pertussis | 5 | 1 | 0 | 1 | 0 | 2 | 3 | 1 | 0 | 0 | 0 | 0 | 13 | 263,975 | 4.92 |
| Plague | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Poliomyelitis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Psittacosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Q-fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Rabies, human | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Rabies, potential human exposure | 0 | 1 | 0 | 1 | 2 | 1 | 0 | 2 | 1 | 0 | 0 | 2 | 10 | 263,975 | 3.79 |
| Reye Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Rheumatic Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Rocky Mountain spotted fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Rubella | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Salmonellosis | 3 | 3 | 2 | 2 | 1 | 1 | 3 | 5 | 5 | 5 | 1 | 9 | 40 | 263,975 | 15.15 |
| Shigellosis | 5 | 5 | 1 | 0 | 0 | 2 | 7 | 0 | 0 | 0 | 0 | 0 | 20 | 263,975 | 7.58 |
| Smallpox | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Staphylococcus aureus infections/infants <28 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Staphylococcus aureus infection, toxic shock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Staphylococcus aureus infections/VISA/VRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |

*Source: US Census Bureau, Population Estimates

| 2006 COMMUNICABLE DISEASES | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Totals | Pop.* | Incidence |
|--|------|------|------|------|-----|------|------|------|-------|------|------|------|--------|---------|--------------|
| | | | | | | | | | | | | | | | Rate/100,000 |
| | | | | | | | | | | | | | | | |
| Streptococcal acute glomerulonephritis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Streptococcal infections, Group A, invasive | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 263,975 | 0.76 |
| Strep infections, Group B, invasive disease, newborn | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Streptococcus pneumoniae, invasive disease | 7 | 1 | 8 | 7 | 2 | 5 | 3 | 0 | 2 | 4 | 3 | 7 | 49 | 263,975 | 18.56 |
| Streptococcal Rheumatic Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Syphilis | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 5 | 263,975 | 1.89 |
| Syphilis-newborn | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Tetanus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Toxic Shock Syndrome, Streptococcal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Trichinosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Tuberculosis | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 263,975 | 0.38 |
| Tularemia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Typhoid fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Typhus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Yersiniosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 263,975 | 0.00 |
| Totals | 132 | 119 | 152 | 127 | 160 | 144 | 150 | 144 | 140 | 220 | 142 | 344 | 1974 | | |

*Source: US Census Bureau, Population Estimates